Flexible Soft Touch PVC Lamination Film Roll Multipurpose Anti Scratch

Basic Information

Place of Origin: Foshan, China
Brand Name: Realsun Deco
Minimum Order 3000m/model

Quantity:

• Price: Negotiable


Packaging Details: Pack in roll

• Delivery Time: 15-20 days

• Payment Terms: T/T 30% down payment, 70% balance before

shipment

• Supply Ability: 500000m/month



Product Specification

Service: OEM, Customized Design And Size

Design: Wood Grain, Marble, Brick, Stone, Plain

Color Etc.

• Width: 1260mm, 1400mm

• Surface: Glossy, Matte, Embossed, Super Matte, Soft

Touch

• Thickness: 0.1mm-0.5mm

• Usage: Lamination, Vacuum Membrane Press,

Wrapping, Hot Press And So On

• Length: 100m-400m/roll

Material: PVC

• Highlight: Soft Touch PVC Lamination Film,

PVC Lamination Film Roll Multipurpose,

Anti Scratch pvc film lamination

Product Description:

Our **PVC foil** offers excellent performance and aesthetics. The primary ingredient of our product is Polyvinyl Chloride (PVC), a synthetic plastic that is both strong and flexible. Not only is it easy to process, it also provides a range of colors, textures, and patterns, all of which can imitate real materials such as wood, stone, cloth, or metal while being more economical.

Our film is suitable for use on a variety of surfaces, such as walls, doors, cabinets, and furniture. It is renowned for its durability and resistance to wearing, making it a popular choice for high-traffic areas. In addition, its low maintenance requirements mean that cleaning is only required once a week with a damp cloth.

It also has excellent cost savings when compared to natural materials, while still providing sophisticated aesthetics. Furthermore, with a wide variety of styles and finishes available, our PVC foil can be adapted to suit project requirements and individual design preferences. It is commonly used for wall paneling, furniture surfaces, retail displays, interior doors, kitchen and bathroom cabinets, and various other applications.

Features:

PVC Lamination Film

Thickness: 0.1mm-0.5mm

Surface: Glossy, Matte, Embossed, Super Matte, Soft Touch Design: Wood Grain, Marble, Brick, Stone, Plain Color Etc. Application: Furniture, Door, Wall, Kitchen Cabinet, Ceiling Etc.

Service: OEM, Customized Design And Size

Technical Parameters:

Description of Aluminium Composite Panel

Aluminium composite panels are commonly used as an attractive and durable finish for building exteriors or interior decorations. It is made of two aluminum sheets sandwiching a core material. The thickness of the panel ranges from 0.1mm to 0.5mm, and its width can be 1260mm or 1400mm, with the length of each roll varying from 100m to 400m. The design of the panel can be customized to have wood grain, solid colors, marble, brick and other patterns. Additionally, the surface treatments can be matt, super matt, embossed, high gloss, or soft touch, making it more vivid and appealing. The panel is available for OEM or ODM services.

Applications:

Different Process for different application

1.Membrane Press (vacuum press)

Thickness: 0.20-0.50mm; Width:1260mm,1400mm; Length: 100-300m/roll; Cover on MDF, particleboard, wooden board, fiberboard, etc, for doors, kitchen cabinet, wardrobe, furniture, etc. Cover embossed board, cover five surfaces at same time.

2. Wrapping Profiles

Thickness: 0.12-0.18mm; Width: 40-1260mm; Length: 300-800m/roll; Cover on all kinds of profiles including wood profile, aluminum profile, PVC profile, etc. for door frame, window sill, base channel, PVC ceiling and so on.

3.Cold Laminating

Thickness: 0.12-0.20mm; Width: 1240-1260mm; Length: 300-500m/roll; Cover on all kinds of flat panels, such as wood panel, steel panel, aluminum panel, PVC panel, etc. for doors and furniture.

4.Hot Laminating

Thickness: 0.16-0.30mm; Width: 1260mm; Length: 200-300m/roll; Cover on the PVC panel, steel panel, aluminum panel for doors, skirting and so on.

5.Self-adhesive

Thickness: 0.10-0.20mm; Width: 600mm/1220mm; Length:5-50m/roll; Can be put on any smooth surface for furniture and indoor decorations.

Customization:

PVC Lamination Film

Brand Name: Realsun Deco Place of Origin: Foshan, China Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month Thickness: 0.1mm-0.5mm

Surface: Glossy, Matte, Embossed, Super Matte, Soft Touch

Usage: Lamination, Vacuum Membrane Press, Wrapping, Hot Press And So On

Application: Furniture, Door, Wall, Kitchen Cabinet, Ceiling Etc.

Length: 100m-400m/roll

Special Features: This PVC Lamination Film is perfect for wood grain, lamination and PVC foil applications. It's perfect for furniture, doors, walls, kitchen cabinets, ceilings and more.

Packing and Shipping:

Packaging and Shipping of PVC Lamination Film

PVC Lamination Film products must be handled with great care and be stored in a cool, dry environment. The products should be in an upright position to prevent damage. The products must be stored on pallets, and not on the ground, to prevent contamination or damage to the products.

When shipping, the products must be securely wrapped and sealed to ensure they do not shift during transit. It is important to ensure that the products are not exposed to extreme temperatures, moisture, or dust during shipping.

Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com

realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China